

Safety Information

MSDS

[TOP](#)

FSC: 9150

MSDS Date: 06/09/1986

MSDS Num: BBHMH

Submitter: F BT

LIIN: 00F000924

Tech Review: 06/05/1990

Status CD: C

Product ID: LUBRIPLATE NO. 105 GREASE

MFN: 01

Article: N

Kit Part: N

Responsible Party

Cage: 05575

Name: BOWMAN DISTRIBUTION, BARNES GROUP INC.

Address: 850 EAST 72ND STREET

Box: N/K

City: CLEVELAND

State: OH

Zip: 44103

Country: NK

Info Phone Number: (216) 391-7200

Emergency Phone Number: (216) 391-7200

Preparer's Name: N/P

Proprietary Ind: N

Review Ind: Y

Published: Y

Special Project CD: N

Co. when other than Responsible Party Co.

Preparer

[TOP](#)

Cage: 05575

Assigned Ind: N

Name: BOWMAN DISTRIBUTION, BARNES GROUP INC.

Address: 850 EAST 72ND STREET

Box: N/K

City: CLEVELAND

State: OH

Zip: 44103

Summary

Contractor

[TOP](#)

Cage:05575

Name:BOWMAN DISTRIBUTION, BARNES GROUP INC.

Address:850 EAST 72ND STREET

Box:N/K

City:CLEVELAND

State:OH

Zip:44103

Country:NK

Phone:(216) 391-7200

Cage:9N579

Name:FISKE BROTHERS REFINING CO

Address:1500 OAKDALE AVE

City:TOLEDO

State:OH

Zip:43605

Country:US

Phone:419-691-2491

Ingredients

[TOP](#)

Cas:

Code: X

RTECS #:

Code: X

Name: LUBRICATING OIL BASE STOCK

% Text: >85%

Environmental Wt:

Other REC Limits: N/K

OSHA PEL: N/K

Code: M

OSHA

Code:

ACGIH TLV: N/K

Code: M

STEL:

Code:

EPA Rpt Qty:

ACGIH N/P

STEL:

DOT Rpt

Qty:

Ozone Depleting Chemical:

Cas:

Code: X

RTECS #:

Code: X

Name: CALCIUM SOAP THICKENER

% Text: <10%

Environmental Wt:

Other REC Limits: N/K

OSHA PEL: N/K

Code: M

OSHA

Code:

ACGIH TLV: N/K

Code: M

STEL:

Code:

EPA Rpt Qty:

ACGIH N/P

STEL:

DOT Rpt

Qty:

Ozone Depleting Chemical:

Cas:

Code: X

RTECS #:

Code: X

Name: ADDITIVES

% Text: <5%

Environmental Wt:

Other REC Limits: N/K

OSHA PEL: N/K

Code: M

OSHA

Code:

ACGIH TLV: N/K

Code: M

STEL:

Code:

EPA Rpt Qty:

ACGIH N/P

STEL:

DOT Rpt

Qty:

Ozone Depleting Chemical:

Hazards Data Health [TOP](#)

LD50 LC50 Mixture N/K

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Health Hazards Acute And Chronic

SKIN: IRRITATION.

Explanation Of Carcinogenicity

NONE

Signs And Symptions Of Overexposure

SKIN: IRRITATION.

Medical Cond Aggravated By Exposure

N/K

First Aid

SKIN: WASH W/SOAP & WARM WATER. EYES: FLUSH W/WATER, CONSULT PHYSICIAN. INGESTION: AS w/MINERAL OILS.

Spill Release Procedures

SCRAPE UP GREASE. ADD AN OIL ABSORBENT TO SPILL AREA. MINIMIZE BREATHING VAPORS. ADVISE AUTHORITIES IF PRODUCT HAS ENTERED SEWERS & WATER COURSE.

Neutralizing Agent

N/K

Waste Disposal Methods

ASSURE CONFORMITY TO APPLICABLE DISPOSAL REGULATIONS. ABSORBED MATERIAL TO WASTE SITE.

Handling And Storage Precautions

KEEP CONTAINERS CLOSED WHEN NOT IN USE. DON'T HANDLE OR STORE NEAR HEAT, SPARKS, FLAME & STRONG OXIDANTS. AVOID BREATHING OIL MIST.

Other Precautions

REMOVE OIL-SOAKED CLOTHGN & LAUNDER BEFORE REUSE.

Explosion Hazard Information Fire and

[TOP](#)

Flash Point Method: COC

Flash Point:

Flash Point Text: 360F

Autoignition Temp:

Autoignition Temp Text: N/A

Lower Limits: 1.0%

Upper Limits: 6.0%

Extinguishing Media

CO2, FOAM, WATER SPRAY/FOG, DRY CHEMICAL

Fire Fighting Procedures

USE AIR SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AREAS. COOL EPOSED CONTAINERS W/WATER SPRAY. AVOID BREATHING VAPORS OR FUMES.

Unusual Fire/Explosion Hazard

DON'T MIX OR STORE W/STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

Measures Control

[TOP](#)

Respiratory Protection

NORMALLY NOT NEEDED. _

Ventilation

LOCAL EXHAUST: USE TO CAPTURE FUMES & VAPORS.

Protective Gloves

IF NEEDED

Eye Protection

OGGLES

Other Protective Equipment

OIL RESISTANT APRON IF NEEDED

Work Hygienic Practices

REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

N/K

Physical/Chemical Properties

[TOP](#)

HCC:

NRC/State LIC No:

Net Prop WT For Ammo:

Boiling Point:

B.P. Text: >750F

Melt/Freeze Pt:

M.P/F.P Text: N/K

Decomp Temp:

Decomp Text: N/K

Vapor Pres: <0.1

Vapor Density: >5

Volatile Org Content %:

Spec Gravity: 0.94

VOC Pounds/Gallon:

PH: N/R

VOC Grams/Liter:

Viscosity: N/P

Evaporation Rate & Reference: (N-BU AC = 1):

Solubility in Water: INSOLUBE

Appearance and Odor: WHITE OPAQUE GREASE PASTE W/MINERAL OIL ODOR

Percent Volatiles by Volume: N/K

Corrosion Rate: N/K

Data

Reactivity

[TOP](#)

Stability Indicator: YES

Stability Condition To Avoid: HEAT, SPARKS, &FLAMES

Materials To Avoid: STRONG OXIDANTS, CHLORINE, PURE OXYGEN

Hazardous Decomposition Products: CO

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization N/K

Toxicological Information

[TOP](#)

Toxicological Information:N/P

Information

Ecological

[TOP](#)

Ecological: N/P

Transport Information

MSDS

[TOP](#)

Transport Information: N/P

Information

Regulatory

[TOP](#)

Sara Title III Information: N/P

Federal Regulatory Information: N/P

State Regulatory Information: N/P

Information

Other

[TOP](#)

Other Information: N/P

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.