# SAFETY DATA SHEET ACG-Catalyst B

| 1.                             | PRODUCT AND COMPANY IDENTIFICATION  |
|--------------------------------|---|
| Product Identifier             | ACG-Catalyst B  |
| Product Name                   | ACG-Catalyst B  |
| Other means of identification  |   |
| CAS-No<br>Synonyms             | 7727-54-0<br>Ammonium Peroxydisulfate; Diammonium Peroxydisulphate; Peroxydisulfuric acid,<br>diammonium salt; Peroxydisulfuric acid, ammonium salt                               |
| Recommended use of the chemica | l and restrictions on use   |
| Recommended Use:               | Polymerization initiator; Etchant and cleaner for printed circuit boards; Hair bleaching formulations; Secondary oil recovery; Oxidizing agent for a variety of organic reactions |
| Restrictions on Use:           | No uses to be advised against were identified.  |
| Supplier                       | American Chemical Grout Co.<br>2295 Route 107<br>Royalton, VT 05068<br>Phone: 802-234-9911<br>Email: sales@americanchemicalgroutco.com  |
| Emergency telephone number     | For leak, fire, spill or accident emergencies, call:<br>1 800 / 424 9300 (CHEMTREC - U.S.A.)  |

# 2. HAZARDS IDENTIFICATION

# **Classification**

OSHA Regulatory Status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Acute toxicity - Oral                            | Category 4 |
|--|------------|
| Skin corrosion/irritation                        | Category 2 |
| Serious eye damage/eye irritation                | Category 2 |
| Respiratory sensitization                        | Category 1 |
| Skin sensitization                               | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Oxidizing Solids                                 | Category 3 |

### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

# Danger

### Hazard Statements

H272 - May intensify fire; oxidizer

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation



#### **Precautionary Statements - Prevention**

P220 - Keep/Store away from clothing/combustible materials

P221 - Take any precaution to avoid mixing with combustibles

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

### **Precautionary Statements - Response**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

### Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

### Other Information

Risk of decomposition by heat or by contact with incompatible materials. <u>Unknown acute toxicity</u> 0% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula

H8N2O8S2 and (NH<sub>4</sub>)<sub>2</sub> S<sub>2</sub> O<sub>8</sub>

| Chemical name       | CAS-No    | Weight % |
|---------------------|-----------|----------|
| Ammonium Persulfate | 7727-54-0 | >98      |

Synonyms are provided in Section 1.

# **4. FIRST AID MEASURES**

**General Advice** 

Remove from exposure, lie down. Show this material safety data sheet to the doctor in attendance.

**Eye Contact** 

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids Page 2/8

ACG-Catalyst B

|   | intermittently. Consult a physician. In case of contact, immediately flush eyes with plenty of water. If symptoms persist, call a physician.   |  |  |
|---|--|--|--|
| Skin Contact  | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.   |  |  |
| Inhalation  | Remove from exposure, lie down. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.   |  |  |
| Ingestion   | Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth. Drink 1 or 2 glasses of water.   |  |  |
| Most important symptoms and effects, both acute and delayed                           | Itching; Redness; Coughing and/ or wheezing.   |  |  |
| Indication of immediate medical attention and special treatment needed, if necessary  | Treat symptomatically.   |  |  |
|   | 5. FIRE-FIGHTING MEASURES  |  |  |
| Suitable Extinguishing Media  | Water. Cool containers with flooding quantities of water until well after fire is out.   |  |  |
| Unsuitable extinguishing media  | Do not use carbon dioxide or other gas filled fire extinguishers; they will have little effect on decomposing persulfate.  |  |  |
| Specific Hazards Arising from the<br>Chemical   | Decomposes under fire conditions to release oxygen that intensifies the fire.  |  |  |
| Explosion data<br>Sensitivity to Mechanical Impact<br>Sensitivity to Static Discharge | Not sensitive.<br>Not sensitive.   |  |  |
| Protective equipment and precautions for firefighters                                 | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.   |  |  |
|   | 6. ACCIDENTAL RELEASE MEASURES   |  |  |
| Personal Precautions  | Keep off any unprotected persons. Avoid contact with the skin and the eyes. Avoid breathing dust. Wear personal protective equipment.  |  |  |
| Other   | Never add other substances or combustible waste to product residues.   |  |  |
| Environmental Precautions   | Knock down dust with water spray. Avoid penetration into waterways, sewers, soil or groundwater. Local authorities should be advised if significant spillages cannot be contained.   |  |  |
| Methods for Containment   | Vacuum, shovel or pump waste into a drum and label contents for disposal. Avoid dust formation. Store in closed container.   |  |  |
| Methods for cleaning up   | Clean up spill area and treat as special waste. Dispose of waste as indicated in Section 13.   |  |  |
|   | 7. HANDLING AND STORAGE  |  |  |
| Handling  | Wear personal protective equipment. Avoid breathing dust. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. Avoid contact with skin and eyes. Remove and wash contaminated clothing before re-use.                             |  |  |
| Storage   | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat. Do not store near combustible materials. Avoid contamination of opened product. Keep away from food, drink and animal feedingstuffs. Avoid formation and deposition of dust. |  |  |

## Incompatible products

Acids, Bases, Halides, Oxidizing agents, Strong reducing agents, Combustible materials.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

### **Exposure Guidelines**

| Chemical name                    | British Columbia           | Quebec | Ontario TWAEV              | Alberta        |
|----------------------------------|----------------------------|--------|----------------------------|----------------|
| Ammonium Persulfate<br>7727-54-0 | TWA: 0.1 mg/m <sup>3</sup> | -      | TWA: 0.1 mg/m <sup>3</sup> | TWA: 0.1 mg/m³ |

### Appropriate engineering controls

| Engineering measures                | Local exhaust ventilation w >90% efficiency.  |  |  |  |
|-------------------------------------|---|--|--|--|
| Individual protection measures, suc | ch as personal protective equipment   |  |  |  |
| Eye/Face Protection                 | Eye protection recommended. Chemical goggles consistent with EN 166 or equivalent.  |  |  |  |
| Skin and Body Protection            | Wear suitable protective clothing. Protective shoes or boots.   |  |  |  |
| Hand Protection                     | Protective gloves: Neoprene gloves, Polyvinylchloride, Natural Rubber.  |  |  |  |
| <b>Respiratory Protection</b>       | For dust, splash, mist or spray exposures wear a filtering mask.  |  |  |  |
| Hygiene measures                    | Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Wash hands before breaks and after shifts. Keep work clothes separate, remove contaminated clothing - launder after open handling of product. |  |  |  |
| General information                 | Protective engineering solutions should be implemented and in use before personal protective equipment is considered.   |  |  |  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

| Appearance<br>Physical State<br>Color<br>Odor<br>Odor threshold<br>pH<br>Melting point/freezing point<br>Boiling Point/Range<br>Flash point<br>Evaporation Rate<br>Flammability (solid, gas)<br>Flammability Limit in Air<br>Upper flammability limit: | Crystalline solid<br>Solid<br>White<br>odorless<br>Not applicable<br>5.2 (1% solution)<br>120 °C (Decomposes)<br>Decomposes upon heating<br>Not flammable<br>No information available<br>Not flammable<br>Not applicable |
|--|--|
| Lower flammability limit:<br>Vapor pressure<br>Vapor density<br>Density<br>Specific gravity<br>Water solubility  | 1.47E-23 mm Hg at 25°C<br>No information available<br>1.98 g/cm <sup>3</sup> (crystal density)<br>No information available<br>600 g/l @ 25 °C  |
| Solubility in other solvents<br>Partition coefficient<br>Autoignition temperature<br>Decomposition temperature<br>Viscosity, kinematic<br>Viscosity, dynamic<br>Explosive properties   | No information available<br>No information available (inorganic)<br>No evidence of combustion up to 600 °C<br>> 100 °C (assume)<br>No information available (Solid)<br>No information available<br>Not explosive         |

| Oxidizing properties | oxidizer     |
|----------------------|--------------|
| Molecular weight     | 228.2        |
| Bulk density         | 1.05 (loose) |

| 10. STABILITY AND REACTIVITY       |   |  |  |  |
|------------------------------------|---|--|--|--|
| Reactivity                         | Strong oxidizer.  |  |  |  |
| Chemical Stability                 | Stable under recommended storage conditions.  |  |  |  |
| Possibility of Hazardous Reactions | Use of persulfates in chemical reactions requires appropriate precautions and design considerations for pressure and thermal relief.  |  |  |  |
|                                    | Decomposing persulfates will evolve large volumes of gas and/or vapor, can accelerate exponentially with heat generation, and create significant and hazardous pressures if contained and not properly controlled or mitigated. |  |  |  |
|                                    | Use with alcohols in the presence of water has been demonstrated to generate conditions that require rigorous adherence to process safety methods and standards to prevent escalation to an uncontrolled reaction.              |  |  |  |
| Hazardous polymerization           | Hazardous polymerization does not occur.  |  |  |  |
| Conditions to avoid                | Heat (decomposes at 275 °C); Moisture   |  |  |  |
| Incompatible materials             | Acids, Bases, Halides, Oxidizing agents, Strong reducing agents, Combustible materials.   |  |  |  |

Hazardous Decomposition Products Oxygen which supports combustion; Sulfur oxides.

| 11. TOXICOLOGICAL INFORMATION  |  |  |  |  |
|--|--|--|--|--|
| Product Information  |  |  |  |  |
| Unknown acute toxicity<br>LD50 Oral<br>LD50 Dermal<br>LC50 Inhalation                      | 0% of the mixture consists of ingredient(s) of unknown toxicity<br>740 mg/kg (rat) (Ammonium Persulfate)<br>> 2000 mg/kg (rat) (Ammonium Persulfate)<br>> 2.95 mg/L (rat) (4-hr) (Ammonium Persulfate) |  |  |  |
| Serious eye damage/eye irritation<br>Skin corrosion/irritation                             | Irritating to eyes.<br>Not irritating in animal studies.   |  |  |  |
| Sensitization  | Sensitizing to skin and respiratory system.  |  |  |  |
| Information on toxicological effects   |  |  |  |  |
| Symptoms   | No information available.  |  |  |  |
| Delayed and immediate effects as well as chronic effects from short and long-term exposure |  |  |  |  |
| Carcinogenicity  | Did not show carcinogenic effects in animal experiments.   |  |  |  |
| Mutagenicity   | In vivo tests did not show mutagenic effects.  |  |  |  |
| Reproductive toxicity  | This product is not recognized as reprotox by Research Agencies.   |  |  |  |
| STOT - single exposure<br>STOT - repeated exposure<br>Subchronic toxicity                  | May cause respiratory irritation.<br>Not classified.<br>Oral (NOAEL) = 41.1 mg/kg bw (Ammonium Persulfate)<br>Inhalation (NOAEC) = 10.3 mg/m <sup>3</sup> (Ammonium Persulfate)                        |  |  |  |
| ACC Catalyst B   | Page 5/8   |  |  |  |

ACG-Catalyst B

|                      | Dermal: No data available       |  |  |
|----------------------|---------------------------------|--|--|
| Target organ effects | Eyes, Skin, Respiratory System. |  |  |
| Aspiration hazard    | No information available.       |  |  |

.

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

### **Ecotoxicity effects**

| Ammonium Persulfate (77 | /27-54-0) |   |       |       |
|-------------------------|-----------|---|-------|-------|
| Active Ingredient(s)    | Duration  | Species   | Value | Units |
| Ammonium Persulfate     | 96 h LC50 | Onchorhyncus mykiss                             | 76.3  | mg/L  |
| Ammonium Persulfate     | 48 h EC50 | Water flea                                      | 120   | mg/L  |
| Ammonium Persulfate     | 72 h EC50 | Marine algae<br>(Phaeodacttylum<br>tricornutum) | 136   | mg/L  |
| Ammonium Persulfate     | 96 h LC50 | Turbot (Scophthalmus maximus)                   | 107.6 | mg/L  |
| Ammonium Persulfate     | 18 h EC10 | Pseudonomas putida                              | 36    | mg/L  |
| Ammonium Persulfate     | 5 d       | Abra Alba                                       | 11    | mg/L  |
| Ammonium Persulfate     | 96 h LC50 | Grass shrimp                                    | 391   | mg/L  |
| Ammonium Persulfate     | 24 h EC50 | Daphnia magna                                   | 635.7 | mg/L  |

| Persistence and degradability | Biodegradability does not pertain to inorganic substances.   |  |  |  |
|-------------------------------|--|--|--|--|
| Bioaccumulation               | Does not bioaccumulate.  |  |  |  |
| Mobility                      | Dissociates into ions.   |  |  |  |
| Other Adverse Effects         | None known.  |  |  |  |
| 13. DISPOSAL CONSIDERATIONS   |  |  |  |  |
| Waste disposal methods        | This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. |  |  |  |

| US EPA Waste Number    | D001   |
|------------------------|--|
| Contaminated Packaging | Dispose of in accordance with local regulations. |

# **14. TRANSPORT INFORMATION**

# DOT

| UN/ID no  | 1444                                      |
|---|---|
| Proper Shipping Name  | AMMONIUM PERSULFATE                       |
| Hazard class  | 5.1                                       |
| Packing Group   | III                                       |
| <u>TDG</u><br>UN/ID no<br>Proper Shipping Name<br>Hazard class<br>Packing Group | 1444<br>AMMONIUM PERSULFATE<br>5.1<br>III |

| <u>ICAO/IATA</u><br>UN/ID no<br>Proper Shipping Name<br>Hazard class<br>Packing Group | 1444<br>AMMONIUM PERSULFATE<br>5.1<br>III   |
|---|---|
| <u>IMDG/IMO</u><br>UN/ID no<br>Proper Shipping Name<br>Hazard class<br>Packing Group  | 1444<br>AMMONIUM PERSULFATE<br>5.1<br>III   |
| ADR/RID-Labels  | 5.1   |
| <u>ADR/RID</u><br>UN/ID no<br>Proper Shipping Name<br>Hazard class<br>Packing Group   | 1444<br>AMMONIUM PERSULFATE<br>5.1<br>III   |
| ADN<br>Proper Shipping Name<br>Hazard class<br>Packing Group<br>OTHER INFORMATION     | AMMONIUM PERSULFATE<br>5.1<br>III<br>Protect from physical damage. Do not store near acids, moisture or heat. |

# 15. REGULATORY INFORMATION

# U.S. Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

| Acute health hazard               | Yes |
|-----------------------------------|-----|
| Chronic health hazard             | No  |
| Fire hazard                       | Yes |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# International Inventories

| Component                                   | TSCA<br>(United<br>States) | DSL<br>(Canada) | EINECS/EL<br>INCS<br>(Europe) | ENCS<br>(Japan) | China<br>(IECSC) | KECL<br>(Korea) | PICCS<br>(Philippines<br>) | AICS<br>(Australia) | NZIoC<br>(New<br>Zealand) |
|---|----------------------------|-----------------|-------------------------------|-----------------|------------------|-----------------|----------------------------|---------------------|---------------------------|
| Ammonium<br>Persulfate<br>7727-54-0 ( >98 ) | Х                          | Х               | Х                             | Х               | Х                | Х               | Х                          | Х                   | Х                         |

## CANADA

### WHMIS Statement

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

### WHMIS Hazard Class

C - Oxidizing materials D2A - Very toxic materials D2B - Toxic materials





# **16. OTHER INFORMATION**

| NFPA   | Health Hazards 1 | Flammability 0 | Stability 1       | Special Hazards OX    |
|--|------------------|----------------|-------------------|-----------------------|
| HMIS   | Health Hazards 1 | Flammability 0 | Physical hazard 0 | Special precautions J |
| NEDA/HMIC Detinge Legend Directorian L/Safety geogles gloves enter combination dust and vener reenviroter) |                  |                |                   |                       |

NFPA/HMIS Ratings Legend Protection=J (Safety goggles, gloves, apron, combination dust and vapor respirator)

| Revision date: | 2015-03-21      |
|----------------|-----------------|
| Revision note  | Initial Release |

### DISCLAIMER:

The information contained herein is supplied in good faith and is correct to the best of American Chemical Grout Co. knowledge, information and belief at the date of this publication but no representation is made as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. The information given is designed only as a guide for safe handling, use, precessing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process unless specified in the text. Individuals receiving this information must exercise their independent judgement in determining its appropriateness for a particular purpose. American Chemical Grout Co. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION. American Chemical Grout Co. makes no warranties, expressed or implied, including but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance of usage of trade. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. American Chemical Grout Co. assumes no responsibility for injury to the recipient or third person or for any damage to any property resulting for misuse of this product.